

AMENDMENT TRANSMITTAL LETTER

Docket No.
M4065.0069/P069Serial No.
09/121,528Filing Date
July 23, 1998Examiner
T. MeeksGroup Art Unit
1762

Applicant(s): Garo Derderian


Invention: CONTINUOUS GOOD STEP COVERAGE CVD PLATINUM METAL DEPOSITION

TO THE ASSISTANT COMMISSIONER FOR PATENTS

Transmitted herewith is an amendment in the above-identified application.

The fee has been calculated and is transmitted as shown below.

CLAIMS AS AMENDED						
	Claims Remaining After Amendment	Highest # Previously Paid	# Extra Claims Present	Rate	Additional Fe	
Total Claims	44	- 45 =	0	x \$18.00		
Independent Claims	3	- 5 =	0	x \$78.00		
Multiple Dependent Claims (check if applicable) <input type="checkbox"/>						
Other fee (please specify): Petition For One Month EOT					\$110.00	
TOTAL ADDITIONAL FEE FOR THIS AMENDMENT					\$110.00	

☒ Large Entity☐ Small Entity☐ No additional fee is required for amendment.☐ Please charge Deposit Account No. 04-1073 in the amount of _____
A duplicate copy of this sheet is enclosed.☒ A check in the amount of \$110.00 to cover the filing fee is enclosed.☒ The Commissioner is hereby authorized to charge and credit Deposit Account No. 04-1073
as described below. A duplicate copy of this sheet is enclosed.☒ Credit any overpayment.☒ Charge any additional filing or application processing fees required under 37 C.F.R. 1.16 and
1.17.
James M. SilbermannAttorney Reg. No.: 40,413
Dickstein Shapiro Morin & Oshinsky LLP
2101 L Street NW
Washington, DC 20037-1526
(202) 785-9700

Dated: August 23, 1999



PATENT
Docket No.: M4065.0069/P069

#7/B
16
8/28/99

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:
Garo J. DERDERIAN

Serial No.: 09/121,528

Group Art Unit: 1762

Filed: July 23, 1998

Examiner: T. Meeks

For: CONTINUOUS GOOD STEP
COVERAGE CVD PLATINUM
METAL DEPOSITION

Assistant Commissioner for Patents
Washington, D.C. 20231

RECEIVED
AUG 26 1999
TC 1700 MAIL ROOM

AMENDMENT

Dear Sir:

This is in response to the Office Action dated April 21, 1999. The period for response has been extended up to and including August 21, 1999 by the one-month extension of time submitted herewith. Please amend the above-identified U.S. patent application as follows:

In the Specification:

At page 11, line 3 change "polysilica glass" to -phosphosilicate glass--.